

```

<!--
Simple form for ordering a pizza.
* Topping choices are specified as an array.
* Topping checkboxes are passed as an array.
-->

<html>
  <head><title>Pizza Order Form</title></head>
<body>

  <?php
$toppings = array("Olives", "Anchovies", "Onions", "Spinach");
?>
<h2>Pizza Order Form</h2>
<form action="order.php" method="get">

  <p> <label for="size"><strong>Size</strong></label><br>
    <input type="radio" name="size" value="small">
    Small (10 inches)
    <br>
    <input type="radio" name="size" value="medium">
    Medium (12 inches)
    <br>
    <input type="radio" name="size" value="large">
    Large (14 inches)</p>

  <p><label for="toppings"><strong>Toppings</strong></label><br>

  <?php
foreach ($toppings as $item) {
  echo "<input type='checkbox' name='toppings[]' value=$item> $item <br>";
}
?>
</p>

  <p><label for="name"><strong>Name:</strong></label>
    <input type="text" name="name" size=20></p>

  <p><label for="phone"><strong>Phone:</strong></label>
  <input type="text" name="phone" size=20> Example: 123-555-1212 or 555-1212
  </p>

  <p><input type="submit" value="Submit Order"></p>

</form>
</body>
</html>

```